L Number	Hits	Search Text	DB	Time stamp
1	24	(US-6470123-\$ or US-6396995-\$ or	USPAT;	2004/01/06
		US-5185846-\$ or US-4818058-\$ or	US-PGPUB	16:31
		US-6522817-\$ or US-6456772-\$ or		
		US-6655852-\$ or US-6640042-\$ or	}	
		US-6633719-\$ or US-6595698-\$).did. or		
		(US-20030128912-\$ or US-20030123837-\$ or		
		US-20030063861-\$ or US-20030016935-\$ or		
		US-20030002804-\$ or US-20020197047-\$ or		
•		US-20020131752-\$ or US-20020131703-\$ or		
		US-20030123835-\$ or US-20020172490-\$ or		:
		US-20010051028-\$ or US-20030223700-\$ or		
		US-20030202769-\$ or		
		US-20030133670-\$).did.		
•	23	((US-6470123-\$ or US-6396995-\$ or	USPAT;	2004/01/06
2	23	US-5185846-\$ or US-4818058-\$ or	,	16:32
		US-6522817-\$ or US-6456772-\$ or	US-PGPUB;	10:32
			EPO; JPO	
		US-6655852-\$ or US-6640042-\$ or		
		US-6633719-\$ or US-6595698-\$).did. or		•
		(US-20030128912-\$ or US-20030123837-\$ or		
		US-20030063861-\$ or US-20030016935-\$ or		
		US-20030002804-\$ or US-20020197047-\$ or		
		US-20020131752-\$ or US-20020131703-\$ or		
		US-20030123835-\$ or US-20020172490-\$ or		
		US-20010051028-\$ or US-20030223700-\$ or		
		US-20030202769-\$ or		
		US-20030133670-\$).did.) and (bond\$6 or		
		epoxy or glue or adhesive)		
	144035	385/\$6.ccls. or 398/\$6.ccls. or 359/\$6.ccls.	USPAT;	2003/07/14
			US-PGPUB;	16:46
			EPO; JPO	
-	99127	(mask or plate or wafer or holder) and fiber	USPAT;	2003/07/14
		and (hole or opening)	US-PGPUB;	16:46
			EPO; JPO	
-	47569	385/\$6.ccls.	USPAT;	2003/07/14
	-	*	US-PGPUB;	16:46
			EPO; JPO	
•	5410	((mask or plate or wafer or holder) and fiber	USPAT;	2003/07/14
	04.0	and (hole or opening)) and 385/\$6.ccls.	US-PGPUB;	16:46
]	and (note of opening)) and 303/\$0.0013.	EPO; JPO	10.40
_	3542	(/mack or plate or water or helder) and fiber	1	2003/07/14
•	3542	((mask or plate or wafer or holder) and fiber	USPAT;	•
•		and (hole or opening)) and 385/\$6.ccls. and	US-PGPUB;	16:51
		align\$6	EPO; JPO	2002/07/4
-	14	((mask or plate or wafer or holder) and fiber	USPAT;	2003/07/14
		and (hole or opening)) and 385/\$6.ccls. and	US-PGPUB;	16:52
		align\$6 and guide and (housing or casing)	EP ; JPO	
-	1718	((mask or plate or wafer or holder) and fiber	USPAT;	2003/07/16
		and (hole or opening)) and 385/\$6.ccls. and	US-PGPUB;	09:30
		align\$6 and guide	EPO; JPO	

-	1852	((mask or substrate or plate or wafer or	USPAT;	2003/07/16
		holder) and (fiber near4 (plurality or array))	US-PGPUB;	09:32
		and (hole or opening)) and 385/\$6.ccls. and	EPO; JPO	
		align\$6		
-	157	(((mask or substrate or plate or wafer or	USPAT;	2003/07/16
		holder) with (fiber near4 (plurality or array))	US-PGPUB;	09:32
ia.		with (hole or opening))) and 385/\$6.ccls.	EPO; JPO	
- 7	-	and align\$6	,	
-	299	(((mask or substrate or plate or wafer or	USPAT:	2003/12/29
		holder) same (fiber near4 (plurality or	US-PGPUB:	11:48
		array)) same (hole or opening))) and	EPO; JPO	*
		385/\$6.ccls. and align\$6		
	15	(US-6522817-\$ or US-6470123-\$ or	USPAT;	2003/07/16
;		US-6456772-\$ or US-6396995-\$ or	US-PGPUB	15:44
		US-4818058-\$).did. or (US-20030123837-\$ or		
		US-20030128912-\$ or US-20030123835-\$ or		:
*		US-20030063861-\$ or US-20030016935-\$ or		
		US-20030002804-\$ or US-20020197047-\$ or		
		US-20020172490-\$ or US-20020131752-\$ or		
		US-20020131703-\$).did.		
-	14	(mask or substrate or plate or wafer or	USPAT;	2003/07/16
		holder) and (fiber near4 (plurality or array))	US-PGPUB;	17:19
		and (hole or opening) and ((US-6522817-\$ or	EPO; JPO	
		US-6470123-\$ or US-6456772-\$ or		
		US-6396995-\$ or US-4818058-\$).did. or		
		(US-20030123837-\$ or US-20030128912-\$ or		
		US-20030123835-\$ or US-20030063861-\$ or	le .	
		US-20030016935-\$ or US-20030002804-\$ or		
		US-20020197047-\$ or US-20020172490-\$ or		
•		US-20020131752-\$ or		
		US-20020131703-\$).did.) and (bond\$4 or		
		epoxy or glue or cement or adhesive)		
	1221	385/136,137.ccls.	USPAT:	2003/07/16
	,	,	US-PGPUB:	17:20
			EPO; JPO	
-	364	(((mask or substrate or plate or wafer or	USPAT;	2004/01/06
		holder) same (fiber near4 (plurality or	US-PGPUB;	10:03
		array)) same (hole or opening))) and	EPO; JPO	
		385/\$6.ccls. and align\$6	,	
_	23	(US-4818058-\$ or US-6522817-\$ or	USPAT;	2004/01/06
		US-6456772-\$ or US-6655852-\$ or	US-PGPUB	08:50
		US-6633719-\$ or US-6595698-\$ or		
		US-6470123-\$ or US-6396995-\$ or		
		US-5185846-\$).did. or (US-20030123835-\$ or		
		US-20010051028-\$ or US-20020172490-\$ or		
		US-20030133670-\$ or US-20030202769-\$ or		
		US-20030223700-\$ or US-20030123837-\$ or		
	ē	US-20030128912-\$ or US-20030063861-\$ or		
		US-20030016935-\$ or US-20030002804-\$ or		
:		US-20020197047-\$ or US-20020131752-\$ or		
1		US-20020131703-\$).did.		

•	8	((US-4818058-\$ or US-6522817-\$ or	USPAT;	2004/01/06
		US-6456772-\$ r US-6655852-\$ or	US-PGPUB;	08:51
		US-6633719-\$ or US-6595698-\$ or	EPO; JPO	
		US-6470123-\$ r US-6396995-\$ or		
		US-5185846-\$).did. or (US-20030123835-\$ or	,	_
		US-20010051028-\$ or US-20020172490-\$ or		
		US-20030133670-\$ or US-20030202769-\$ or		
		US-20030223700-\$ or US-20030123837-\$ or		
		US-20030128912-\$ or US-20030063861-\$ or		1
		US-20030016935-\$ or US-20030002804-\$ or		
		US-20020197047-\$ or US-20020131752-\$ or		
		US-20020131703-\$).did.) and flex\$6		
-	123	(((mask or substrate or plate or wafer or	USPAT;	2004/01/06
		holder) same (fiber near4 (plurality or	US-PGPUB;	10:30
		array)) same (hole or opening))) and	EPO; JPO	
		385/\$6.ccls. and align\$6 and flex\$6	•	